





MaxSeal® Pet Doors are available for several types of installation. Models are available for Walls, Doors, French Doors as well as Custom Made. These High Performance doors are made to be maintained indefinitely, making them the last pet door you will need. Superior insulating and sealing are what makes our doors stand above all others. The dual flap design provides a near perfect barrier to the outside elements. MaxSeal® doors also provide incomparable security when the security panel closes off the pet opening making it the only door on the market able to withstand forcible entry.





MaxSeal® Feature Highlights			
Best Insulating Pet Door	Insulated – Intruder Resistant Security Panel	UV Treated Flaps	
Best Weather Seal	Reinforced Frame & Mitered Corners	Nylon Reinforced Flap Strength	
Rust Resistant Components	Designer Lock & Handle Hardware	Product Longevity	
Dual or Single Flap Options	Tamper Proof Security Screws	10 Color Options	
All Models Include Rain Guard	Upgradeable Magnets for Severe Wind	Carpet Included with Wall Models	









MaxSeal® Door Mount Models

Easily installs into any type of door – flat or panel design. Fits any door 1 1/4" to 2" thick. Single and Dual Flap versions available







MaxSeal® Wall Mount Models

Standard model comes with 10" trim-to-fit tunnel. For thicker walls, there is a 16" trim-to-fit tunnel option. Tunnel is self-framing and strongest of any design. No bottom seams guards against moisture leaking inside walls.









MaxSeal® Custom Made

Commonly used for replacing underperforming pet doors in walls and doors. Also made to accommodate pets with special mobility needs.





MaxSeal® French Door Models

Specially made to replace one or more individual panes of glass in a true French door. Allows you to re-install the glass later after you remove the pet door.

Note: Only can be used in French Doors that have individual panes of glass.




MaxSeal® Door Models

Are commonly used in various situations as seen below



STORM DOORS



OVER HEAD GARAGE DOORS





SIDE LIGHTS





PORCHES & LANAIS



Choosing the high performance MaxSeal® pet doors not only provides you with superior quality and performance, but also allows you to customize your door to best meet your situation

- 10 frame color options
- Choice of black or white security locking panels
- Choice of load direction for the security panel, top (standard), left side, right side
- Optional High Wind Extreme Wind Magnets
- Comes with standard 10' trim-to-fit tunnel or optional 16' trim-to-fit tunnel for thicker walls
- Indoor / Outdoor Tan Carpeting for tunnel included
- Protective Rain Guard included
- 10 pet opening sizes to ensure the proper fit for any size pet, from the smallest cat to any giant breed dog.

Note: smaller pets have no problem using even the largest models for customers with multiple pets.

Earth Brown
Beige
White Aluminum
Signal/White
Grey Aluminum
Tabernacle Grey
Beige Brown
Light/Ivory
Pearl/White

10 Frame color choices

Door Models



MaxSeal® 'Best by Design'





MaxSeal® Door Models		
Flap Size	Rough Cut Required	Exterior Frame Dimensions
Small 6" x 7 ½"	8" x 9 3/16"	9 3/8" x 10 9/16"
Small Medium 7" x 9"	9" x 10 11/16"	10 3/8" 12 1/16"
Medium 9" x 12"	11" x 13 11/16"	12 3/8" 15 1/16"
Large 11" x 16"	13" x 17 11/16"	14 3/8" x 19 1/16"
Tall 11" x 20"	13" x 21 11/16"	14 3/8" x 23 1/16"
Tall Grand 11" x 25"	13" x 26 11/16"	14 3/8" 28 1/16"
XL Grand 12" x 24"	14" x 25 11/16"	15 3/8" x 27 1/16"
Wide Tall 15" x 20"	17" x 21 11/16"	18 3/8" x 23 1/16"
Mammoth 15" x 24"	17" x 25 11/16"	18 3/8" x 27 1/16"
Behemoth (15 3/4" x 32")	17 ¾" x 33 11/16"	19 1/8" x 35 1/16"

Wall Models



MaxSeal® 'Best by Design'








MaxSeal® Wall Mount Models		
Flap Size	Rough Cut Required	Exterior Frame Dimensions
Small 6" x 7 ½"	8 1/8" x 9 5/16"	9 3/8" x 10 9/16"
Small Medium 7" x 9"	9 1/8" x 10 13/16"	10 3/8" 12 1/16"
Medium 9" x 12"	11 1/8" x 13 13/16"	12 3/8" 15 1/16"
Large 11" x 16"	13 1/8" x 17 13/16"	14 3/8" x 19 1/16"
Tall 11" x 20"	13 1/8" x 21 13/16"	14 3/8" x 23 1/16"
Tall Grand 11" x 25"	13 1/8" x 26 13/16"	14 3/8" 28 1/16"
XL Grand 12" x 24"	14 1/8" x 25 13/16"	15 3/8" x 27 1/16"
Wide Tall 15" x 20"	17 1/8" x 21 13/16"	18 3/8" x 23 1/16"
Mammoth 15" x 24"	17 1/8" x 25 13/16"	18 3/8" x 27 1/16"
Behemoth (15 3/4" x 32")	17 7/8" x 33 13/16"	19 1/8" x 35 1/16"

How to Select the Correct Pet Door Size



MaxSeal® 'Best by Design'

When choosing a pet door size, you will want an opening that clears the back of your tallest pet by 1.5-2", and low enough to the ground to allow for easy navigation of the smallest pet. Certain dog breeds may develop arthritis or hip problems in their later years. Choosing a pet opening that is a little lower to the ground can save your dog from irritating injuries in the future.



Allow for 1.5 to 2" in clearance above the pet's shoulders

Pet door elevated enough to allow for easy step over